

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




FIG. 1




FIG. 1A




FIG. 2




FIG. 3




FIG. 4




FIG. 4A




FIG. 5A






FIG 5B






FIG. 5C


Mobile Query Image



Nearest Images



Google Images



Unigram	Freq	Bigram	Freq
MIT	128	foundation relations	3
story	59	<u>MIT dome</u>	2
engineering	33	da lucha	2
kruckmeyer	29	view realvideo	2
boston	28	cancer research	2

FIG. 6




FIG 6A




FIG. 6B